

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	(memory near3 map\$3) with (power near2 (manag\$5 or conserv\$5 or mode or modes))	USPAT	OR	OFF	2004/11/17 15:13
S2	2	((chang\$3 or alte\$4 or adjust\$3 or switch\$3) near2 (memory adj2 map\$3)) near5 power	USPAT	OR	OFF	2003/03/13 11:07
S3	1	(Super adj2 State) adj2 (code or microcode)	USPAT	OR	OFF	2003/03/13 11:28
S4	22	("4203153"   "4420806"   "4590553"   "4709324"   "4757505"   "4768149"   "4860005"   "4930065"   "4930068"   "4964121"   "5109521"   "5129091"   "5167024"   "5201059"   "5247164"   "5274791"   "5349688"   "5392457"   "5404546"   "5406064"   "5410714"   "5515539").PN.	USPAT	OR	OFF	2003/03/13 11:08
S5	0	"6125412".URPN.	USPAT	OR	OFF	2003/03/13 11:08
S6	81	(Chips near2 Technolog\$4).as.	USPAT	OR	OFF	2003/03/13 15:12
S7	374	Super adj2 State	USPAT	OR	OFF	2003/03/13 11:28
S8	1	((Chips near2 Technolog\$4).as.) and (Super adj2 State)	USPAT	OR	OFF	2003/03/13 11:28
S9	13	(peripheral near6 (memory near2 map\$3)) same power	USPAT	OR	OFF	2003/12/10 17:07
S10	0	(peripheral near6 (memory near2 (remap\$3 or re-map\$3))) same power	USPAT	OR	OFF	2003/03/13 11:58
S11	4	("4030073"   "4591982"   "4736290"   "4926322").PN.	USPAT	OR	OFF	2003/03/13 12:02
S12	8	"5274791".URPN.	USPAT	OR	OFF	2003/03/13 12:02
S13	0	(redirect\$3 near3 peripheral) with (power near3 (sav\$3 or conserv\$ or manag\$4))	USPAT	OR	OFF	2003/03/13 15:19
S14	0	(remap\$3 near3 peripheral) with (power near3 (sav\$3 or conserv\$ or manag\$4))	USPAT	OR	OFF	2003/03/13 15:15
S15	29	((disabl\$3 or off or shutdown) near3 peripheral) with (power near3 (sav\$3 or conserv\$ or manag\$4))	USPAT	OR	OFF	2003/03/20 14:55
S16	12	((access3 or communicat\$3) near3 peripheral) with (power near3 (sav\$3 or conserv\$ or manag\$4))	USPAT	OR	OFF	2003/03/13 15:26
S17	38	"5339437".URPN.	USPAT	OR	OFF	2003/03/13 15:48

S18	418	((queue\$3 or buffer\$3) near2 (information or data)) near5 power	USPAT	OR	OFF	2003/03/20 14:56
S19	36	((queue\$3 or buffer\$3) near2 (information or data)) near5 power) with periph\$2	USPAT	OR	OFF	2003/03/13 15:50
S20	35	((queue\$3 or buffer\$3) near2 (information or data)) near5 (power near2 (sav\$3 or manag\$5 or reduc\$3))	USPAT	OR	OFF	2003/03/13 15:52
S21	10	("4647721"   "4675537"   "4731549"   "4747041"   "4794525"   "5214785"   "5321428"   "5347167"   "5359540"   "5477476").PN.	USPAT	OR	OFF	2003/03/13 15:58
S22	6	"5594672".URPN.	USPAT	OR	OFF	2003/03/13 15:56
S23	32	((queue\$3 or buffer\$3) near2 (information or data)) near5 (power near2 (sav\$3 or manag\$5 or reduc\$3))) not (((queue\$3 or buffer\$3) near2 (information or data)) near5 power) with periph\$2)	USPAT	OR	OFF	2003/03/13 15:56
S24	38	"5339437".urpn.	USPAT	OR	OFF	2003/03/17 13:56
S25	3	((buffer near4 (data or information)) near5 peripheral) with (sleep or suspend or (power adj2 down))	USPAT	OR	OFF	2003/03/17 14:08
S26	2	intercept\$3 near5 peripheral near5 power	USPAT	OR	OFF	2003/03/17 14:18
S27	837	intercept\$4 with (peripheral or peripherals)	USPAT	OR	OFF	2003/03/17 14:33
S28	14	(intercept\$4 with (peripheral or peripherals)) with power	USPAT	OR	OFF	2003/03/17 14:20
S29	64	intercept\$4 with (peripheral or peripherals) with (information or data or writes)	USPAT	OR	OFF	2003/03/17 14:59
S30	3426	(buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral or peripherals)	USPAT	OR	OFF	2003/03/20 15:26
S31	66	((buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral or peripherals) ) with power	USPAT	OR	OFF	2003/03/17 14:54
S32	12	((buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral or peripherals) ) with (suspend\$3 or sleep\$3 or hibernat\$3 or (power adj2 down))	USPAT	OR	OFF	2003/03/17 14:52

S33	61	((buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral or peripherals) ) with power) not (((buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral or peripherals) ) with (suspend\$3 or sleep\$3 or hibernat\$3 or (power adj2 down)))	USPAT	OR	OFF	2003/03/17 14:54
S34	0	(queue\$3 with (peripheral or peripherals) with (information or data or writes)) with power	USPAT	OR	OFF	2003/03/17 15:01
S35	1	(queue\$3 with (peripheral or peripherals) with (information or data or writes)) same power	USPAT	OR	OFF	2003/03/17 15:02
S36	180	queue\$3 with (peripheral or peripherals) with (information or data or writes)	USPAT	OR	OFF	2003/03/17 15:02
S37	85	(queue\$3 with (peripheral or peripherals) with (information or data or writes)) and power	USPAT	OR	OFF	2003/03/20 14:55
S38	0	rerout near3 peripheral	USPAT	OR	OFF	2003/03/17 15:36
S39	122	printer adj2 queue	USPAT	OR	OFF	2003/03/17 15:36
S40	1	(updat\$3 near4 context) with (power)	USPAT	OR	OFF	2003/03/17 15:36
S41	22	("5075875"   "5084875"   "5164842"   "5214772"   "5220566"   "5220674"   "5226112"   "5247623"   "5268993"   "5271065"   "5297246"   "5303336"   "5323393"   "5333286"   "5353388"   "5361265"   "5371837"   "5438528"   "5559933"   "5580177"   "5699494"   "6052204").PN.	USPAT	OR	OFF	2003/03/17 16:31
S42	154	(power adj2 (sav\$3 or conserv\$5 or reduc\$3)) with printer	USPAT	OR	OFF	2003/03/17 16:32
S43	67	(power adj2 (sav\$3 or conserv\$5 or reduc\$3)) near3 printer	USPAT	OR	OFF	2003/03/17 16:34
S44	0	framebuffer near5 (rerout\$3 or redirect\$3)	USPAT	OR	OFF	2003/03/18 11:06
S45	0	framebuffer near5 (power near3 (conserv\$5 or reduc\$4 or sav\$3))	USPAT	OR	OFF	2003/03/18 11:17
S46	15	(frame adj2 buffer) with (power near3 (conserv\$5 or reduc\$4 or sav\$3))	USPAT	OR	OFF	2003/03/18 11:20
S47	114	virtual near5 (frame adj2 buffer)	USPAT	OR	OFF	2003/03/18 13:30
S48	8547	frame adj2 buffer	USPAT	OR	OFF	2003/03/18 13:31

S49	98	(frame adj2 buffer) with ((power\$3 adj2 (off or down)) or disabl\$3)	USPAT	OR	OFF	2003/03/18 13:37
S50	7	(frame adj2 buffer) with ((power\$3 adj2 (off or down)))	USPAT	OR	OFF	2003/03/18 13:37
S51	4	("5167024"   "5321806"   "5402148"   "5408639").PN.	USPAT	OR	OFF	2003/03/18 14:01
S52	4	"5619707".URPN.	USPAT	OR	OFF	2003/03/18 14:01
S53	1	"5963219".URPN.	USPAT	OR	OFF	2003/03/18 14:16
S54	1	"5963219".URPN.	USPAT	OR	OFF	2003/03/18 14:16
S55	14	("5136695"   "5167024"   "5218607"   "5369771"   "5392438"   "5442800"   "5465367"   "5524249"   "5537650"   "5560024"   "5572655"   "5615376"   "5619707"   "5625826").PN.	USPAT	OR	OFF	2003/03/18 14:17
S56	3036	alternate adj2 (location or memory or storage)	USPAT	OR	OFF	2003/03/18 15:31
S57	18	(alternate adj2 (location or memory or storage)) near5 power	USPAT	OR	OFF	2003/03/18 15:55
S58	872	(send\$3 or transfer\$3 or direct\$3) near4 only near4 available	USPAT	OR	OFF	2003/03/18 16:00
S59	69609	tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)	USPAT	OR	OFF	2003/03/18 16:06
S60	0	((send\$3 or transfer\$3 or direct\$3) near4 only near4 available) with power) with ("not" adj2 (on or available))	USPAT	OR	OFF	2003/03/18 15:59
S61	19	((send\$3 or transfer\$3 or direct\$3) near4 only near4 available) with power	USPAT	OR	OFF	2003/03/18 15:59
S62	404	(send\$3 or transfer\$3) near4 only near4 available	USPAT	OR	OFF	2003/03/18 16:04
S63	0	(send\$3 or transfer\$3) near4 only near3 "when" near3 available	USPAT	OR	OFF	2003/03/18 16:03
S64	0	(send\$3 or transfer\$3) with (only adj3 "when" adj3 available)	USPAT	OR	OFF	2003/03/18 16:04
S65	5	((send\$3 or transfer\$3) near4 only near4 available) with peripheral\$1	USPAT	OR	OFF	2003/03/18 16:04
S66	708	(tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with peripheral\$1	USPAT	OR	OFF	2003/03/18 16:05
S67	325	(tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with ((instructions or data or information) near6 peripheral\$1)	USPAT	OR	OFF	2003/03/20 15:01

S68	2	((tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with ((instructions or data or information) near6 peripheral\$1)) and 713/320-324.ccls.	USPAT	OR	OFF	2003/03/18 16:08
S69	7	((tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with ((instructions or data or information) near6 peripheral\$1)) with power	USPAT	OR	OFF	2003/03/18 16:09
S70	185	(tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) and 713/320-324.ccls.	USPAT	OR	OFF	2003/03/18 16:14
S71	5	((tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with peripheral\$1) and 713/320-324.ccls.	USPAT	OR	OFF	2003/03/18 16:19
S72	4901	re-direct\$3 or re-rout\$3	USPAT	OR	OFF	2003/03/18 16:19
S73	692	(re-direct\$3 or re-rout\$3) with (data or information or instructions)	USPAT	OR	OFF	2003/03/18 16:20
S74	0	(re-direct\$3 or re-rout\$3) with ("not" adj2 (available or on))	USPAT	OR	OFF	2003/03/18 16:21
S75	3	((re-direct\$3 or re-rout\$3) with (data or information or instructions)) with peripheral\$1	USPAT	OR	OFF	2003/03/18 16:21
S76	146	(re-direct\$3 or re-rout\$3) with ((available or on))	USPAT	OR	OFF	2003/03/18 16:34
S77	1	((re-direct\$3 or re-rout\$3) with ((available or on))) and "713"/\$.ccls.	USPAT	OR	OFF	2003/03/18 16:22
S78	1	"4716543".pn.	USPAT	OR	OFF	2003/03/18 17:00
S79	55	chan.xp. and digital.as.	USPAT	OR	OFF	2003/03/18 17:12
S80	6042	map\$3 near5 (alternate or different or auxilliary)	USPAT	OR	OFF	2003/03/20 14:59
S81	33	(map\$3 near5 (alternate or different or auxilliary)) with (unavailable or off or disabled)	USPAT	OR	OFF	2003/03/18 17:16
S82	111	(map\$3 near5 (alternate or different or auxilliary)) and "713"/\$.ccls.	USPAT	OR	OFF	2003/03/18 17:20
S83	3	(map\$3 near5 (alternate or different or auxilliary)) and 713/320-324.ccls.	USPAT	OR	OFF	2003/03/18 17:20
S84	3	(power adj2 manag\$3) with ((network adj2 (card or controller)) or NIC)	USPAT	OR	OFF	2003/03/19 14:30
S85	2	(memory near3 map\$3) with (power near2 (manag\$5 or conserv\$5 or mode or modes))	EPO; JPO	OR	OFF	2003/03/20 14:54

S86	1	((disabl\$3 or off or shutdown) near3 peripheral) with (power near3 (sav\$3 or conserv\$ or manag\$4))	EPO; JPO	OR	OFF	2003/03/20 14:55
S87	0	(queue\$3 with (peripheral or peripherals) with (information or data or writes)) and power	EPO; JPO	OR	OFF	2003/03/20 14:55
S88	86	((queue\$3 or buffer\$3) near2 (information or data)) near5 power	EPO; JPO	OR	OFF	2003/03/20 14:56
S89	461	map\$3 near5 (alternate or different or auxilliary)	EPO; JPO	OR	OFF	2003/03/20 14:59
S90	42	(tempor\$5 near3 (stor\$3 or sav\$3 or buffer\$3)) with ((instructions or data or information) near6 peripheral\$1)	EPO; JPO	OR	OFF	2003/03/20 15:02
S91	24	(buffer\$3 or stor\$3 or sav\$3) near4 (information or data) near4 (peripheral or peripherals)	IBM_TDB	OR	OFF	2003/03/20 15:26
S92	105	alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))	USPAT	OR	OFF	2003/12/01 16:45
S93	65	(alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))) and g06f\$.ipc.	USPAT	OR	OFF	2003/12/01 16:48
S94	14	(alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))) and (power near3 (sav\$3 or reduc\$5 or conserv\$5))	USPAT	OR	OFF	2003/12/01 17:04
S95	6	(alternate adj2 (memory near2 (location\$1 or address\$1 or space\$1))) same power	USPAT	OR	OFF	2003/12/01 17:04
S96	6411	video adj1 (ram or memory)	USPAT	OR	OFF	2003/12/10 15:56
S97	256	(video adj1 (ram or memory)) near3 map\$3	USPAT	OR	OFF	2003/12/10 15:57
S98	0	((video adj1 (ram or memory)) near3 map\$3) and 713/3\$.ccls.	USPAT	OR	OFF	2003/12/10 15:57
S99	163	(video adj1 (ram or memory)) and 713/3\$.ccls.	USPAT	OR	OFF	2003/12/10 16:17
S10 0	654	(framebuffer or (frame adj1 buffer)) with updat\$3	USPAT	OR	OFF	2003/12/10 16:26
S10 1	2	((framebuffer or (frame adj1 buffer)) with updat\$3) and 713/32\$.ccls.	USPAT	OR	OFF	2003/12/10 16:30
S10 2	205	((framebuffer or (frame adj1 buffer)) with updat\$3) with (RAM or memory)	USPAT	OR	OFF	2003/12/10 16:30

S10 3	10	(framebuffer or (frame adj1 buffer)) with (rerout\$3 or redirect\$3)	USPAT	OR	OFF	2003/12/10 16:26
S10 4	1	((framebuffer or (frame adj1 buffer)) with updat\$3) with (RAM or memory)) and 713/32\$.ccls.	USPAT	OR	OFF	2003/12/10 16:49
S10 5	15	("5675808"   "5752045"   "5781496"   "5781768"   "5804749"   "5835435"   "5907330"   "6067083"   "6073223"   "6079025"   "6112310"   "6177946"   "6209075"   "6263448"   "6292201").PN.	USPAT	OR	OFF	2003/12/10 16:31
S10 6	22	(temporar\$5 near2 (sav\$3 or stor\$3)) with (power\$3 adj1 off)	USPAT	OR	OFF	2003/12/10 17:09
S10 7	173	(sav\$3 or stor\$3) with ((while or during) near3 (power\$3 adj1 off))	USPAT	OR	OFF	2003/12/10 17:02
S10 8	0	(redirect\$3 or rerout\$3) with ((while or during) near3 (power\$3 adj1 off))	USPAT	OR	OFF	2003/12/10 16:58
S10 9	40	((sav\$3 or stor\$3) with ((while or during) near3 (power\$3 adj1 off))) and g06f\$.ipc.	USPAT	OR	OFF	2003/12/10 16:58
S11 0	1	((sav\$3 or stor\$3) with ((while or during) near3 (power\$3 adj1 off))) with intend\$3	USPAT	OR	OFF	2003/12/10 17:02
S11 1	374	(peripheral near6 (memory near2 map\$3))	USPAT	OR	OFF	2003/12/10 17:07
S11 2	0	((peripheral near6 (memory near2 map\$3))) same (power\$3 adj1 (down or off))	USPAT	OR	OFF	2003/12/10 17:08
S11 3	0	(alternate adj2 location) with (power adj2 (off or down))	USPAT	OR	OFF	2003/12/10 17:08
S11 4	7567	(temporar\$5 near2 (sav\$3 or stor\$3 or hold\$3)) with (during or while or when)	USPAT	OR	OFF	2003/12/10 17:15
S11 5	28	((temporar\$5 near2 (sav\$3 or stor\$3 or hold\$3)) with (during or while or when)) and 713/3\$.ccls.	USPAT	OR	OFF	2003/12/10 17:11
S11 6	0	(temporar\$5 near2 (sav\$3 or stor\$3 or hold\$3)) with ("not available")	USPAT	OR	OFF	2003/12/10 17:15
S11 7	49	(temporar\$5 near2 (sav\$3 or stor\$3 or hold\$3)) with (unavailable or "not available")	USPAT	OR	OFF	2003/12/11 10:24
S11 8	41	(temporar\$5 near2 (sav\$3 or stor\$3 or hold\$3)) with (power near2 (state\$1 or mode\$1))	USPAT	OR	OFF	2003/12/11 13:32

S11 9	1	sakai.in. and acpi	USPAT	OR	OFF	2004/05/20 13:20
S12 0	223	(power\$3 adj2 down) near3 peripheral\$1	USPAT	OR	OFF	2004/05/25 10:35
S12 1	127	(power\$3 adj2 off) near3 peripheral\$1	USPAT	OR	OFF	2004/05/25 10:36
S12 2	8	((power\$3 adj2 down) near3 peripheral\$1) same ((power\$3 adj2 off) near3 peripheral\$1)	USPAT	OR	OFF	2004/05/25 10:50
S12 3	104	standby near3 peripheral	USPAT	OR	OFF	2004/05/25 10:51
S12 4	2416	off near3 peripheral	USPAT	OR	OFF	2004/05/25 10:51
S12 5	5	(standby near3 peripheral) same (off near3 peripheral)	USPAT	OR	OFF	2004/05/25 11:17
S12 6	1640	713/32\$.ccls.	USPAT	OR	OFF	2004/05/25 11:17
S12 7	459	713/324.ccls.	USPAT	OR	OFF	2004/05/25 11:17
S12 8	89	713/324.ccls. and (peripheral with (mode or state))	USPAT	OR	OFF	2004/05/25 15:16
S12 9	0	713/32\$.ccls. and (framebuffer\$1)	USPAT	OR	OFF	2004/05/25 15:16
S13 0	45	713/32\$.ccls. and (frame adj buffer\$1)	USPAT	OR	OFF	2004/05/25 15:16
S13 1	1	713/32\$.ccls. and (frame adj buffer\$1).ti.	USPAT	OR	OFF	2004/05/25 15:16
S13 2	55	virtual adj1 (framebuffer or (frame adj1 buffer))	USPAT	OR	OFF	2004/11/17 15:13